



ENVEX™

HIGH-PERFORMANCE RECESSED AMBIENT SERIES



PERFORMANCE

Have you ever wanted an architectural troffer, but were limited by your budget?
You're not alone.

ON DEMAND

High configurability requires longer lead times, doesn't it?
We don't think so.



ENVEX™

BEAUTY


Does your go-to recessed ambient solution limit your design options?
Not anymore.



A Timeless Design.

Elegance and simplicity produce a look suitable for a wide range of applications. Configurable versatility. Uniform illumination. Seamless transitions.

The product our competitors didn't want us to make...
ENVEX.



QUALITY OF LIGHT

ENVEX is specifically designed to improve quality of light. It combines seamless transition zones from ceiling to surface area, with low lumen density to reduce glare and seemingly disappear into the ceiling.

VALUE AND STYLE

ENVEX meets you where you are. Design choices are no longer limited to expensive, cumbersome solutions. The elegant design of ENVEX exceeds the highest standards by delivering superior quality at an exceptional value.

HIGHLY CONFIGURABLE

Flexibility doesn't have to be confusing. ENVEX offers a wide range of lumen packages, color temperatures, and lighting controls options to meet specifications with ease.

Game Changer.

ENVEX can be fine-tuned to suit a wide range of applications. With standard features at a value you won't believe, ENVEX is a triple threat: quality, performance, and configurability.



2 Fully-Luminous Designs 3 Standard Sizes

ENVEX is beyond smart. Embedded nLight® lighting controls are virtually invisible while providing ultimate configurability for the lighting design and the users in the space. Whether you need simple dimming or the ability to control an entire room, or even a campus, nLight solutions grow with you.



Make it your own. Download a spec sheet and see just how versatile ENVEX really is.

ENVEX

FEATURES

ENVEX delivers a combination of options that puts it in a category of its own.

Lumen Packages

1,500 - 7,200 lumens

Designs

Hourglass

Hourglass with Center Spine

Distribution

Volumetric

Color Rendering

CRI 80 - 90

Visually Comfortable

Flicker-free dimming to <1%

UGR as low as 10*

Controls

nLight® Wired, nLight® AIR

nLight AIR – Chicago Plenum Rated

Sensors

Occupancy, Photocell



*This calculation is based on a specific layout. UGR should always be calculated based on a design layout. Please contact lightingdesign@acuitybrands.com for any UGR calculations.

A brand you have always trusted.
A look you have always wanted.
A value you won't believe.

ENVEK by Lithonia Lighting.



**LITHONIA
LIGHTING**

One Lithonia Way • Conyers, Georgia 30012 • Phone: 1-800-705-SERV (7378) • Lithonia.com
©2020 Acuity Brands Lighting, Inc. All rights reserved.