



D-Series LED Floodlights

Site-wide Floodlighting Solutions



D-Series Floodlighting

The most comprehensive family of floodlights offering a site-wide solution.

D-Series LED floodlights offer a site-wide floodlighting solution for architectural and general-purpose needs. This family features a large breadth of photometric distributions, mountings, color temperatures and other options to meet the vast project needs of architects and specifiers while also offering in-stock availability for contractors. In addition, these floodlights provide best-in-class energy savings to meet aggressive payback targets.

Configurable options combined with in-stock solutions allow D-Series floodlights to be a go-to solution for specification and everyday floodlighting needs. And since D-Series floods are manufactured locally in the United States, they provide uncompromising quality with a reliable supply chain and quick delivery.





D-Series Sizes and Ranges

D-Series LED floodlights allow for proper scale in application, providing all configurations necessary to design and light the entire site including low-level, sign lighting, flagpole, façade and pole-mounted area lighting.



DSXF1

The DSXF1 offers a small, compact size allowing it to disappear in applications at low mounting heights such as lighting from within or near the landscape, for use on applications such as columns and near walkways.

Lumens: 2,500 to 5,500

Watts: 21W to 42W

HID Replacement: 70W to 150W



DSXF2

The DSXF2 offers a more powerful small-scale floodlight that can bridge the application needs for higher light levels on larger areas or at longer distances, for use on applications such as signs, flagpoles and large areas.

Lumens: 7,000 to 17,700

Watts: 52W to 144W

HID Replacement: 175W to 400W



DSXF3

The DSXF3 provides maximum illumination power for higher mountings heights and larger areas requiring longer throw and maximum spread, for use on applications such as large monuments, façades and large area lighting.

Lumens: 16,000 to 27,000

Watts: 111W to 189W

HID Replacement: 400W+

- 1 **Sign Lighting**
HMF optic
- 2 **Flagpole Lighting**
NSP optic
- 3 **Column Lighting**
NSP optic
- 4 **Façade Lighting**
MSP optic
- 5 **Accent Lighting**
WFR / HMF optic
- 6 **Area Lighting**
WFL / FL optic

D-Series floodlights provide a site-wide solution that features a uniform selection across three sizes offering the same breadth of optical distributions, mountings, color temperatures, options and accessories to ensure maximum product range and flexibility in application.

D-Series Photometric Distributions

Seven precision optics offer vast design capabilities and allow for complete front to back site design.



Wide Flood
WFL – 6 x 6




Flood
FL – 5 x 5




Wide Flood, Rectangular
WFR – 6 x 5



Horizontal Medium Flood
HMF – 6 x 4



Medium Flood
MFL – 4 x 4



Medium Spot
MSP – 4 x 4



Narrow Spot
NSP – 3 x 3





D-Series Mounting and Accessories

All DSXF floodlights offer the same mountings, options and accessories, allowing for consistent and easy site design.

Mounting Configurations



Slipfitter
IS



Knuckle
THK



Yoke
YK

Accessories



Full Visor
FV



Upper/Bottom
Visor
UBV



Vandal Guard
VG



To learn more about the D-Series Floodlights
visit www.LithoniaLighting.com



Join the conversation - follow us on social media.