



Mobile Access to Your  
Emergency Lighting Reports

Automatic monthly and annual testing

Access data on your mobile device

Compliance records on demand





## Compliance Just Got Easier!


Per Life Safety Code, emergency lighting equipment must undergo regular monthly and annual tests to ensure proper emergency operation during a loss of normal power.

Additionally, records of these tests must be maintained for inspection by the Authority Having Jurisdiction ("AHJ"), such as the local fire marshal.

With the STAR mobile application and STAR-enabled emergency lighting products, meeting these emergency lighting requirements is simpler than ever!

### Content Highlights

- The advantages of STAR-enabled emergency products
- Exploring your STAR mobile app
- Emergency lighting solutions compatible with STAR





## Connect To Your Emergency Fixtures Wirelessly

STAR-enabled emergency lighting equipment automatically conducts the brief monthly tests and full 90-minute annual tests, as required by code.



Test results are logged internally within the unit and communicated wirelessly to the STAR app.





## Access STAR Reports in Your CLAIRITY+ App


STAR functions and data access is found within the CLAIRITY™+ app and is available for iOS and Android devices. The CLAIRITY™+ app keeps all of your key lighting wireless functions, such as JOT and nLight Air, in one convenient place!

Once your device is in range, access the desired emergency fixture to get your most recent test data. The STAR App allows you to see alerts for any emergency fixtures requiring attention, or to organize your emergency lighting nodes as you like for quick and easy reference when needed.



## View and Send Compliance Reports

Need a report of your test logs? No problem! Export the needed data as a PDF to save or send to another device.



Self-testing emergency equipment automatically conducts the required monthly and annual tests of your emergency lighting, while the STAR app eliminates the need to maintain written records of those tests. With STAR and STAR-enabled emergency lighting equipment, Life Safety compliance is a breeze!



## STAR-Enabled Solutions

Lithonia Lighting Emergency lighting equipment designated as **AELR** (Emergency Lighting Reporting) will work with STAR.

### Emergency Signage



LQM AELR

### Commercial Emergency Lighting Units



ELM2L AELR



ELM2LF AELR



ELM4L AELR

ELM6L AELR

### Industrial Emergency Lighting Units



INDL AELR



EXTL AELR



## Lithonia Emergency Products with Automated Emergency Lighting Reporting (AELR)

Series	Description	Temp. Range	Spacing	Listings
LQM AELR	Quantum® LED Exit Sign	10° to 40°C	n/a	cULus924, A, T1e 20
ELM2L AELR	Quantum® Adjustable Optics 220 Lumen EM Light	10° to 40°C	Up to 35ft.	cULus924, A, T1e 20
ELM2LF AELR	Quantum® Fixed Optics 220 Lumen EM Light	10° to 40°C	Up to 35ft.	cULus924, A, T1e 20
ELM4L AELR	Quantum® Adjustable Optics 640 Lumen EM Light	10° to 40°C	Up to 67ft.	cULus924, A, T1e 20
ELM6L AELR	Quantum® Adjustable Optics 1100 Lumen EM Light	10° to 40°C	Up to 98ft.	cULus924, A, T1e 20
INDL AELR	Indura® Industrial LED Wet Location EM Light	0° to 50°C CW: -30° to 50°C	Up to 130ft.	cULus924, A, T1e 20
EXTL AELR	Extreme® Industrial NEMA 4X Rated EM Light	0° to 50°C CW: -30° to 50°C	Up to 130ft.	cULus924, A, T1e 20

Lithonia Lighting  
AELR Products feature:



Automatic self-testing and  
wireless reporting.



Helps meet Title 20  
energy requirements.



## HOLOPHANE® STAR-Enabled Solutions

Holophane® emergency lighting equipment designated as **AELR** (Emergency Lighting Reporting) will work with STAR.

### Commercial Emergency Lighting Units



CZQ2L AELR

### CZQ4L AELR



CZQ4L AELR

### CZQ6L AELR



CZQ6L AELR

### Industrial Emergency Lighting Units



DSL3 AELR



DSL46 AELR



## HOLOPHANE®

Holophane Products with Automated Emergency Lighting Reporting (AELR)

Series	Description	Temp. Range	Spacing	Listings
CZQ2L AELR	Cortez™ Adjustable Optics 220 Lumen EM Light	10° to 40°C	Up to 35ft.	UL 924, CSA Title 20
CZQ4L AELR	Cortez™ Adjustable Optics 640 Lumen EM Light	10° to 40°C	Up to 67ft.	UL 924, CSA Title 20
CZQ6L AELR	Cortez™ Adjustable Optics 1100 Lumen EM Light	10° to 40°C	Up to 98ft.	UL 924, CSA Title 20
DSL3 AELR	DeSoto™ Industrial LED Wet Location EM Light	0° to 50°C CW: -30° to 50°C	Up to 130ft.	UL 924, CSA Title 20
DSL46 AELR	DeSoto™ Industrial NEMA 4X Rated EM Light	0° to 50°C CW: -30° to 50°C	Up to 130ft.	UL 924, CSA Title 20

Holophane AELR  
Products feature:

  Automatic self-testing and  
wireless reporting.

 **UL 924 Listed**



Helps meet C.A. Title 20  
energy requirements.



Emergency lighting equipment designated as **AELR** (Emergency Lighting Reporting) will work STAR.

IOTA ILB emergency drivers with AELR are designed to integrally install on the fixture, prepared to illuminate the fixture from the ILB's internal battery supply when a power loss occurs.



The ILB CP10 (10W) is available for Class 2 luminaires of 10-60VDC. The ILB CP20 (20W) provides a non-Class 2 voltage of 50-200VDC. Both units feature the dual-flex "A" mounting configuration to accommodate both troffer and downlight luminaire designs.



IOTA Emergency Drivers with Automated Emergency Lighting Reporting (AELR)

Series	Description	Output Voltage	Emergency Wattage	Listings
ILB CP10 HE AELR A	120/277V Input Emergency Driver	15-55VDC	10W (Constant)	cULus924, CATitle 20
ILB CP20 HE AELR HV A	120/277V Input Emergency Driver	50-200VDC	20W (Constant)	cULus924, CATitle 20

IOTA AELR Emergency Drivers include the following design features:



Automatic self-testing and wireless reporting.



Constant Power  
Non-Diminishing Illumination



UL 924 Listed



Helps meet CATitle 20  
energy requirements.

## The Industry's Leading Portfolio of Emergency Lighting Solutions.



Acuity Brands® delivers the largest portfolio of emergency lighting solutions for today's commercial, institutional, industrial, and public spaces. Our emergency lighting products offer confident performance for both general application projects and leading-edge architectural designs. Whether a large space or small, whether single foot-candle or full light output, indoor or outdoor egress, or traditional lighting equipment versus innovative architectural concepts, Acuity Brands emergency lighting solutions cover the scope of virtually any project requirement.